

Checklist / Checkliste: 614 / 3015

Product / Produkt:	FBG
Pieces / Anzahl:	2
Serial No. / Seriennr.:	18012144, 21122000 ✓

Configuration & Accessories / Konfiguration & Zubehör:

Fiber type / Faser:	PM1550 ✓
Housing / Gehäuse:	Steel tube / Stahlröhrchen: [-]
	Recoated fiber / Gitter recoatet: [x] ✓
	Bare fiber / Nackte Faser: [-]
Buffer / Faser- Ummantelung:	None / Keine: [-]
	900µm: [-]
	3mm: [-]
	Other / Andere: [-]
Connectors / Stecker:	FC/PC: [-]
	FC/SPC: [-]
	SC/APC: [-]
	FC/APC: [-]
	Other / Andere: [-]
Packaging / Verpackung:	Standard: [x] ✓
	Other / Andere: [-]
Data sheets / Datenblätter:	Standard / Standard: [x] ✓
	Drawing / Zeichnung: [-]
	SpreadSheet / Tabelle: [-]
	Other / Weitere: [-]

Date / Datum

2021-02-02

Operator

..... S. Jst

Signature / Unterschrift QA

..... S. Jacob

193.6715THz **21122000**

2021 Jan 15 15:44

<FILTER(BOTTOM) ANALYSIS>

MEAN WL : 1549.816nm

SPEC WD : 0.776nm

BOTTOM WL : 1549.826nm

BOTTOM LVL : -27.04dBm


CRS TALK : -210.00dB(L)

25.67dB(R) [CTR± 1.00nm]

A:FIX /DSP

B:FIX /BLK

C:WRITE /DSP

193.6715THz **21122000**

2021 Jan 15 15:42

SPECTRAL WIDTH : <ENVELOPE>

THRESH LVL1 : 3.00dB K : 1.00

 $\Delta\lambda$: 0.008nm


THRESH LVL2 : 3.00dB MODE : 1

 λ_C : 1549.929nm

A:FIX /DSP


B:FIX /BLK

C:WRITE /DSP



193.6715THz 18012144

2021 Jan 26 12:14



193.6715THz 18012144

2021 Jan 26 12:17

